


Amendments to the Claims:

This listing of claims replaces all prior versions, and listings, of claims in the application:

Listing of Claims:

1. (currently amended) A compound represented by Formula II:




or a pharmaceutically acceptable salt or hydrate thereof, wherein:

$m=1, 2, 3, \text{ or } 4$;

$p = 9 \text{ to } 20$;

m is 2 and X is a bond or m is 1 and X is a bond, O, NH, $\text{S}(\text{O})_k$, wherein k is 0, 1 or 2;

A is selected from the group consisting of: $-\text{CO}_2\text{H}$, $-\text{PO}_3\text{H}_2$, $-\text{PO}_2\text{H}_2$, $-\text{SO}_3\text{H}$, $-\text{PO}(\text{R}^8)\text{OH}$,



each R^1 is independently selected from the group consisting of: hydrogen, halo, hydroxy, -CO₂H, C₁-4alkyl, C₁-4alkoxy, C₁-4alkylthio and aryl, wherein said C₁-4alkyl, C₁-4alkoxy and C₁-4alkylthio are each optionally substituted from one up to the maximum number of substitutable positions with halo and wherein said aryl is optionally substituted with 1-5 substituents independently selected from halo and C₁-4alkyl, or

two R^1 groups on adjacent carbon atoms may be joined together to form a double bond;

each R^3 is independently selected from the group consisting of: hydrogen, halo, hydroxy, -CO₂H, C₁-4alkyl, C₁-4alkoxy, C₁-4alkylthio and aryl, wherein said C₁-4alkyl, C₁-4alkoxy and C₁-4alkylthio are each optionally substituted from one up to the maximum number of substitutable positions with halo and wherein said aryl is optionally substituted with 1-5 substituents independently selected from halo and C₁-4alkyl, or

two R^3 groups on adjacent carbon atoms may be joined together to form a double bond; and

R^2 and R^4 are each independently selected from the group consisting of: hydrogen, halo, hydroxy, -CO₂H, C₁-4alkyl, C₁-4alkoxy, C₁-4alkylthio and aryl, wherein said C₁-4alkyl, C₁-4alkoxy and C₁-4alkylthio are each optionally substituted from one up to the maximum number of substitutable positions with halo and wherein said aryl is optionally substituted with 1-5 substituents independently selected from halo and C₁-4alkyl;

or R¹ and R² or R³ and R⁴ residing on the same carbon atom may optionally be joined together to form a carbonyl group,

R⁸ is selected from the group consisting of: C₁₋₄alkyl and aryl, wherein said C₁₋₄alkyl is optionally substituted with 1-3 halo groups and aryl is optionally substituted with 1-5 substituents independently selected from the group consisting of: halo, C₁₋₆alkyl, C₃₋₆cycloalkyl, C₁₋₆alkoxy, C₁₋₆alkylthio and C₃₋₆cycloalkoxy, said C₁₋₆alkyl, C₃₋₆cycloalkyl, C₁₋₆alkoxy, C₁₋₆alkylthio and C₃₋₆cycloalkoxy optionally substituted from one up to the maximum number of substitutable positions with halo,

R⁹ is selected from the group consisting of: hydrogen, halo, hydroxy, C₁₋₄alkoxy, C₁₋₄alkylthio and C₃₋₇cycloalkyl, wherein said C₁₋₄alkoxy, C₁₋₄alkylthio and C₃₋₇cycloalkyl are each independently optionally substituted from one up to the maximum number of substitutable positions with halo and wherein said aryl is optionally substituted with 1-5 substituents independently selected from halo and C₁₋₄alkyl.


2. (original) The compound according to Claim 1 wherein X is a bond and m is 2.

3. (withdrawn) The compound according to Claim 1 wherein X is selected from O, NH or S and m is 1.

4. (original) The compound in accordance with Claim 1 wherein A is selected from the group consisting of: -CO₂H, -PO₃H₂, -PO₂H₂, -SO₃H and -PO(R⁸)OH.

5. (original) The compound according to Claim 1 wherein p is 9 to 16.

6. (original) A compound selected from the group consisting of:



7 to 19. (canceled)

20. (original) A pharmaceutical composition comprised of a compound in accordance with Claim 1 in combination with a pharmaceutically acceptable carrier.